

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	7884	takeuchi-k\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:04	
2	BRS	L2	2189	nonaka-t\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:04	
3	BRS	L3	2568	kataoka-t\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:05	
4	BRS	L4	12628	11 or 12 or 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:05	
5	BRS	L6	8352	(pickle or pickling or pickled or etch or etching or etched or etchant) adj10 (steel or stainless adj3 steel or steel adj3 strip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:07	
6	BRS	L7	14535 8	(134/\$ or 148/\$ or 216/\$).cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:07	
7	BRS	L8	30349	(pickling or traveling) adj6 (speed or distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:17	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L9	24136	(vary or varying or adjust or adjusting or control or controlling or controlled or measure or measuring or measured or measurement or monitor or monitoring or monitored or varied or determine or determining or determined or determination) adj10 (amount or concentration) adj10 (acid or HCl or nitric or "HNO3" or "HNO.sub.3" or acidic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:13	
9	BRS	L10	0	17 with 18 with 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:14	
10	BRS	L11	1	16 with 18 with 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:08	
11	BRS	L12	17172 9	(pickling or traveling or line) adj6 (speed or distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:18	
12	BRS	L13	17175 0	(pickling or traveling or line or pickle) adj6 (speed or distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:32	
13	BRS	L14	134	14 and 113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:32	
14	BRS	L15	5	114 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:35	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L16	15	113 and 16 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 13:35	
16	BRS	L17	418	(determine or determining or determined or determination or measure or measuring or measured or measurement or monitor or monitoring or monitored) adj10 (thickness or width) adj5 (scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:36	
17	BRS	L18	0	(steel adj (type or composition or characteristic)) same 117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:36	
18	BRS	L19	11	(steel adj (type or composition or characteristic)) and 117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:16	
19	BRS	L20	6756	(thickness or width) adj5 (scale)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:16	
20	BRS	L21	13	(steel adj (type or composition or characteristic)) same 120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:17	
21	BRS	L22	4	117 and (coiling adj3 temperature)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:28	
22	BRS	L23	0	(steel adj (type or composition or characteristic or grade)) same 117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/08/03 14:36	